# COMPLEMENTS FOR CIVIL SERIES

selection guide

VEMER SPA

www.vemer.it

# COMPLEMENTS FOR FLUSH-MOUNTING CIVIL SERIES

Extractable and not extractable emergency lamps with 1, 2 or 3 modules.
Step marker lamps with twilight sensor and light indicators.
Movement detectors in 3 colours with twilight sensor, dimmer, ringtones and battery charger.

## EMERGENCY LAMPS

| | VEGA VE758300 | ORION VE771300 | SYRIO VE511200 |
|---|---|---|---|
| POWER SUPPLY | 230 V AC | 230 V AC | 230 V AC |
| CHARGE RESERVE | 2 hours | 2 hours | 2 hours |
| EXTRACTABILITY OF THE FRUIT | NOT EXTRACTABLE | EXTRACTABLE | EXTRACTABLE |
| DIMENSIONS | 1 MODULE | 2 MODULES | 3 MODULES |
| TYPE OF MOUNTING | FOR FLUSH-MOUNTING BOXES | FOR FLUSH-MOUNTING BOXES | FOR 3 MODULES FLUSH-MOUNTING BOXES |
| LIGHT SOURCE | 1 LED | 1 LED | 3 LEDs |
| LUMINOUS INTENSITY | 20 lumens | 20 lumens | 20 lumens |
| COLOUR | OPAL WHITE | OPAL WHITE | OPAL WHITE |

## STEP MARKER LAMPS

| | LUXY VE766200 | MUVY VE770600 |
|---|---|---|
| POWER SUPPLY | 115 ÷ 230 V AC | 115 ÷ 230 V AC |
| DIMENSIONS | 1 MODULE | 1 MODULE |
| TYPE OF MOUNTING | FOR FLUSH-MOUNTING BOXES | FOR FLUSH-MOUNTING BOXES |
| COLOUR | SILVER TECH | OPAL WHITE |
| LIGHT SOURCE | 3 ÷ 10 lux | 30 lux |
| LUMINOUS INTENSITY | 0 ÷ 5 lumens | 10 lumens |
| SENSOR | TWILIGHT | TWILIGHT + SENSOR IR |
| INTERVENTION TIME | - | 30 seconds |

## LIGHT INDICATORS

| | MIRA BIANCA VE771100 | MIRA VERDE VE771000 | MIRA ROSSA VE770900 |
|---|---|---|---|
| POWER SUPPLY | 230 V AC | 230 V AC | 230 V AC |
| DIMENSIONS | 1 MODULE | 1 MODULE | 1 MODULE |
| TYPE OF MOUNTING | FOR FLUSH-MOUNTING BOXES | FOR FLUSH-MOUNTING BOXES | FOR FLUSH-MOUNTING BOXES |
| COLOUR | OPAL WHITE | GREEN | RED |

## MOVEMENT DETECTORS

| | SENS IR BIANCO VE770800 | SENS IR GRIGIO VE770700 | SENS IR ARGENTO VE765200 |
|---|---|---|---|
| POWER SUPPLY | 230 V AC | 230 V AC | 230 V AC |
| DIMENSIONS | 1 MODULE | 1 MODULE | 1 MODULE |
| TYPE OF MOUNTING | FOR FLUSH-MOUNTING BOXES | FOR FLUSH-MOUNTING BOXES | FOR FLUSH-MOUNTING BOXES |
| TWILIGHT THRESHOLD | 5 ÷ 100 lux | 5 ÷ 100 lux | 5 ÷ 100 lux |
| INTERVENTION TIME | 30 seconds + 15 minutes | 30 seconds + 15 minutes | 30 seconds + 15 minutes |
| IR DETECTION RANGE | 8 m at 20°C | 8 m at 20°C | 8 m at 20°C |
| IR DETECTION ANGLE | 110° | 110° | 110° |
| COLOUR | WHITE | GREY | SILVER TECH |

# COMPATIBILITY WITH PLATES

All the complements are suitable for installation on flush-mounting boxes and are compatible with the plates:

BTICINO Axolute, Axolute Air, Light, Living, Livinglight, Livinglight Air, Matix series

VIMAR Eikon, Eikon Evo, Plana, Arkè, Idea series (only for Syrio)

ABB Mylos, Chiara series (only for Syrio)

GEWISS Chorus series

AVE S44 series

# dimmer for lamps and led



| | REGOLO BIANCO<br>VE772200 | REGOLO GRIGIO<br>VE772300 | REGOLO ARGENTO<br>VE781200 |
|---|---|---|---|
| POWER SUPPLY | 230 V AC | 230 V AC | 230 V AC |
| DIMENSIONS | 1 MODULE | 1 MODULE | 1 MODULE |
| TYPE OF MOUNTING | FOR FLUSH-MOUNTING BOXES | FOR FLUSH-MOUNTING BOXES | FOR FLUSH-MOUNTING BOXES |
| INCANDESCENT/HALOGEN LAMPS | 150 W | 150 W | 150 W |
| LOW CONSUMPTION LAMPS | 100 VA | 100 VA | 100 VA |
| ADJUSTABLE LEDS 230 V WITH ELECTRONIC TRANSFORMER | 100 VA | 100 VA | 100 VA |
| ADJUSTABLE LEDS 12 V WITH ELECTRONIC TRANSFORMER | 100 VA | 100 VA | 100 VA |
| COLOUR | WHITE | GREY | SILVER TECH |

| | PHONO BIANCA VE770400<br>PHONO GRIGIA VE770300<br>PHONO ARGENTO VE781100 |
|---|---|
| POWER SUPPLY | 230 V AC |
| DIMENSIONS | 1 MODULE |
| TYPE OF MOUNTING | FOR FLUSH-MOUNTING BOXES |
| NUMBER OF SOUNDS | 2 |
| SOUND 1 | 2-TONE |
| SOUND 2 | 3-TONE |
| COLOUR | WHITE/GREY/SILVER TECH |

| | POWER USB BIANCO VE780500<br>POWER USB GRIGIO VE780400<br>POWER USB ARGENTO VE762400 |
|---|---|
| POWER SUPPLY | 115 ÷ 230 V AC |
| DIMENSIONS | 1 MODULE |
| TYPE OF MOUNTING | FOR FLUSH-MOUNTING BOXES |
| CONNECTOR | USB TYPE A |
| OUTPUT | 5V / 1.5 A |
| COLOUR | WHITE/GREY/SILVER TECH |

www.vemer.it

Vemer SpA
Via Camp Lonc, 16
32032 Villapaiera - Feltre (BL)
+39 0439 80638
+39 0439 80619
info@vemer.it
www.vemer.it

MKDP071-ENG