

Network analyzers

Network analyzers to monitor the main electrical measurements (TRMS) in single-phase or three-phase systems with or without neutral with balanced and unbalanced load.




ADR-D Spot ADR-D E Spot


- Instrument to measure:
 - Voltage (TRMS) (concatenated and phased)
 - Current (TRMS)
 - Active, reactive and apparent power
 - Active and reactive energy
 - Frequency
 - Power factor (cos φ)
 - Phase angle

DIMENSIONS (mm)

Front view




Side view



CONNECTION DIAGRAM

Diagram



AC Single-phase

AC Three-phase

AC Three-phase + N

⚠ Attention: For the ADR-D E Spot model the secondary circuits of the CT can not be earthed.

MEASUREMENT AND CONTROL

ADR THREE-PHASE

- Possibility to view the system measurements
- Power supply: 230 V AC 50/60 Hz
- Backlit LCD display with 3 numeric fields
- CT and VT ratios selectable directly during programming
- Active energy meter zeroing
- Reactive energy meter zeroing
- ON/OFF or timed backlighting management

Attention:

- Possibility of earthing the secondary circuits of the CT (for ADR-D Spot only)



TECHNICAL INFORMATION

GENERAL CHARACTERISTICS

Power supply	V AC	230 (-15% ÷ +10%)
Frequency	Hz	50 / 60
Absorption	VA	4
Display		backlit LCD
Front protection degree	IP	54
Voltage precision		0.5% f.s. + 1 digit
Current precision		0.5% f.s. + 1 digit
Power precision		1% f.s. + 1 digit
Frequency precision	Hz	± 1
Active energy		Class 2
Reactive energy		Class 3

Operating temperature	°C	0 ÷ +50
Storage temperature	°C	-20 ÷ +60
Terminal		6 mm ²
Case material		Class V0 complying with UL94 standard
Relative humidity		10 ÷ 90% non condensing
Voltmetric input maximum voltage (direct connection)		550 V RMS (47 ÷ 63 Hz)
Transformation ratios		VT 1 ÷ 9999 V CT 1 ÷ 9999 A

Code	Model	Description
VN562500	ADR-D Spot	Network analyzer
VE071700	ADR-D E Spot	Non insulated network analyzer

REFERENCE STANDARDS

Compliance with Community Directives: 2006/95/EC (Low Voltage) and 2004/108/EC (E.M.C.) is declared with reference to the following standards: • Safety: EN 61010-1 • E.M. Compatibility: EN 61000-6-2 / EN 61000-6-4